Fitchburg Gas and Electric Light Company

PENALTY PROVISIONS	Years in Database	Mean and	Benchmark*	Performance in 2002	Comments
Telephone Service Factor: Non-Emergency Calls (%)	5	mean benchmark	53.3% 43.4%	64.4%	
Telephone Service Factor: Emergency Calls (%)	2	mean benchmark	57.2% not applicable	46.2%	
Service Appointments Met As Scheduled (%)	3	mean benchmark	98.8% 98.4%	99.3%	
On-Cycle Meter Readings (%)	5	mean benchmark	94.2% 91.2%	96.9%	
Consumer Division Cases	10	mean benchmark	62.3 80.7	58.0	
Billing Adjustments (\$/1,000 Customers)	9	mean benchmark	\$12.92 \$49.79	\$0	
SAIFI	7	mean benchmark	1.738 1.984	2.186	Benchmark threshold based on adding deadband to 1996-2000 mean (1.677) in accordance with SQ plan.
SAIDI	7	mean benchmark	141.34 150.47	191.37	Benchmark threshold based on adding deadband to 1996-2000 mean (131.54) in accordance with SQ plan.
Lost Work Time Accident Rate (# of acc/200,000 employee hrs)	10	mean benchmark	9.62 13.58	1.02	

^{*}Benchmark is the highest (lowest) threshold created by adding (subtracting) the deadband to (from) the mean.

Fitchburg Gas and Electric Light Company

PENALTY PROVISIONS	Years in Database	Mean and Benchmark		Performance in 2002	Comments
Staffing Levels	6	mean	102	86	Mean is November 1997 staffing level. Benchmark has not yet been determined. See section III.
Restricted Work Day Rate (# of acc/200,000 employee hrs)	2	mean	2.1	0.0	
Property Damage > \$50K (# of incidents)	2	mean	0	0	
Line Losses (%)	2	mean	5.4%	5.5%	
Capital Expenditures (# of projects & total \$)	10	mean mean	14 \$5,394,513	19 \$4,244,306	
Spare Component & Inventory Policy	not applicable	mean	not applicable	not applicable	Policy provided in section III.
Customer Surveys (scale 1-7):					
Random-customer satisfaction	1	mean	5.2	5.2	
Calls-customer specific	1	mean	6.1	6.1	
Accidents	not applicable	mean	not applicable	not applicable	FG&E reports accidents in accordance with VIII. I. of its SQ plan.
Customer Service Guarantees (#; total \$)	1	mean mean	0 \$0	0 \$0	
CAIDI	7	mean	74.92	87.53	